Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	135	stor\$3 with updat\$3 with (cycle period) with server	US-PGPUB; USPAT	OR	ON	2006/02/15 11:04
L2	49	1 and @ad<"20010925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 11:05
L3	17	stor\$3 with (updat\$3 adj2 (cycle period)) with server	US-PGPUB; USPAT	OR	ON	2006/02/15 11:01
L4	5	3 and @ad<"20010925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 11:06
L5	159	stor\$3 with (updat\$3 synchroniz\$5) with (cycle period) with server	US-PGPUB; USPAT	OR	ON	2006/02/15 11:27
L6	62	5 and @ad<"20010925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 11:09
L7	25	stor\$3 with ((updat\$3 synchroniz\$5) adj3 (cycle period)) with server	US-PGPUB; USPAT	OR	ON	2006/02/15 11:05
L8	6	7 and @ad<"20010925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 11:29
L9	1	8 not 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 11:06
L10	0	according adj3 (updat\$3 synchroniz\$5) adj3 (cycle period) with server	US-PGPUB; USPAT	OR	ON	2006/02/15 11:27
L11	0	according adj3 (updat\$3 synchroniz\$5) with (cycle period) with server	US-PGPUB; USPAT	OR	ON	2006/02/15 11:28
L12	0	according with (updat\$3 synchroniz\$5) with (cycle period) with server	US-PGPUB; USPAT	OR	ON	2006/02/15 11:28
L13	8	(updat\$3 synchroniz\$5) adj2 table with (cycle period) with server	US-PGPUB; USPAT	OR	ON	2006/02/15 11:30

	г	14 17VV	T	ı	C	1
L14	2	13 and @ad<"20010925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 11:30
L15	71	(updat\$3 synchroniz\$5) with table with (cycle period) with server	US-PGPUB; USPAT	OR	ON	2006/02/15 11:30
L16	32	15 and @ad<"20010925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 12:32
L17	36	16 not14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 11:30
L18	30	16 not 14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 11:30
L19	7228	709/218,219,229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 12:32
L20	3	shorter with cycle with updat\$ with frequent\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 12:32
L21	1	20 and @ad<"20010925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 12:33
S1	24	mobile with updating with server with (database or storage)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:24
S2	53	mobile with updating with server with (database or storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 09:53
S3	24	S2 and @ad<"20010925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 11:00

S4	0	"096694366".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 09:51
S5	2	"6694366".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 09:51
S6	2	S5 and (updat\$ with server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 09:52
<b>S7</b>	80	(mobile or portable or laptop) with updating with server with (database or storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 09:54
S8	5635	709/218,219,229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/15 12:01
S9	2	S7 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 09:54
S10	0	("2002/0046285").URPN.	USPAT	OR	ON	2004/11/16 10:08
S11	1	"6694366".pn.	USPAT	OR	ON	2004/11/16 10:08
S12	1	S11 and (storage or database or memory)	USPAT	OR	ON	2004/11/16 10:08
S13	2	"6079166".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 08:53
S14	28	mobile with updating with server with (database or storage)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:24
S15	28	S14	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:24

S16	65	mobile with updating with server with (database or storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:24
S17	28	S16	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:24
S18	98156	s3s	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:24
S19	24	S16 and @ad<"20010925"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:24
S20	19	S19	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:24
S21	0	"096694366".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:24
S22	0	S21	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:24
S23	2	"6694366".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:24
S24	2	S23 ,	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:24
S25	2	S23 and (updat\$ with server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:24
S26	2	S25	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:24

S27	97	(mobile or portable or laptop) with updating with server with (database or storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:24
S28	45	S27	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:24
S29	6490	709/218,219,229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:24
S30	3665	S29	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:24
S31	2	S27 and S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:24
S32	1	S31	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:24
S33	2	"6694366".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:25

	_				_	
S34	46	("4154985"   "4654482"	US-PGPUB;	OR	ON	2005/08/02 12:26
		"4841132"   "4866257"	USPAT;			
		"4868375"   "5029183"	USOCR			
		"5199062"   "5274841"				
		"5280498"   "5288976"				
		"5317630"   "5331547"				
		"5483052"   "5490217"				
		"5528621"   "5581707"				
		"5600833"   "5604516"				
		1				
		"5634058"   "5635694"   "5640103"   "5653753"				
		"5640193"   "5652753"				
		"5652782"   "5668803"				
	- :-	"5675139"   "5682534"				
		"5748881"   "5751962"				
		"5777580"   "5778377"				
		"5778380"   "580 <del>4</del> 803"				
		"5870088"   "5905248"				
		"5928292"   "5974238"				
		"5978773"   "6000000"				
		"6012102"   "6031830"		!		
		"6101483"   "6119941"				
		"6125388"   "6128661"				
		"6164545").PN. OR ("6694366").				
		URPN.				
		UKFIN.			ł	